

Publications (Tadashi Terada, MD, PhD)

First author English articles: n=200. IF=579. Times Cited=2,304.  
h-index=40

All English articles: n=317. IF=1151. Times Cited=5,598. h-index=71

Original Articles

1. Nakanuma Y, Terada T, Ohta G, Matsubara F, Kurachi M:  
Caroli's disease in congenital hepatic fibrosis and infantile polycystic disease.  
Liver 2:346-354, 1982
2. Nakanuma Y, Terada T, Tanaka Y, Ohta G:  
Are hepatolithiasis and cholangiocarcinoma aetiologically related?  
A morphologic study of 12 cases of hepatolithiasis associated with cholangiocarcinoma.  
Virchows Arch [A] 406:45-58, 1985
3. Terada T, Nakanuma Y, Ohta G:  
Glandular elements around the intrahepatic bile ducts in man: Their morphology and distribution in normal livers.  
Liver 7:1-8, 1987
4. Terada T, Nakanuma Y:  
Solitary cystic dilation of the intrahepatic bile duct: Morphology of two autopsy cases and a review of the literature.  
Am J Gastroenterol 82:1301-1305, 1987
5. Terada T, Takegoshi T, Doishita K, Nakanuma Y:  
Histological study of intrahepatic cavernous transformation in a patient with primary myelofibrosis and portal venous thrombosis.  
Virchows Arch [A] 412:339-345, 1988
6. Terada T, Nakanuma Y:  
Congenital biliary dilatation in autosomal dominant adult polycystic disease of the liver and kidneys.  
Arch Pathol Lab Med 112:1113-1116, 1988
7. Terada T, Nakanuma Y:  
Morphological examination of intrahepatic bile ducts in hepatolithiasis.  
Virchows Arch [A] 413:167-176, 1988
8. Nakanuma Y, Terada T, Ohtake S, Bone Marrow Transplantation Team of Kanazawa University, Govindarajan S:  
Intrahepatic periductal glands in graft-versus-host disease.  
Acta Pathol Jpn 38:281-289, 1988

9. Nakanuma Y, Yamaguchi K, Ohta G, Terada T, The Japanese Hepatolithiasis Study Group:  
Pathologic features of hepatolithiasis in Japan.  
Hum Pathol 19:1181-1186, 1988
10. Terada T, Oiwake H, Nakanuma Y, Ohta G, Nishino T:  
An autopsy case of idiopathic enlargement of the right atrium, and a review of the literature.  
Acta Pathol Jpn 38:361-370, 1988
11. Terada T, Nakanuma Y, Matsubara T, Suematsu T:  
An autopsy case of diffuse pericardial angiosarcoma mimicking malignant mesothelioma.  
Acta Pathol Jpn 38:1345-1351, 1988
12. Nakanuma Y, Terada T, Nagakawa T, Kakita A, Yoshikawa T, Ohta G, Yamaguchi K, Yamamoto K, The Japanese Hepatolithiasis Study Group:  
Pathology of hepatolithiasis associated with biliary malformation in Japan.  
Liver 8:287-292, 1988
13. Saito K, Terada T, Nakanuma Y:  
Peripheral hepatolithiasis incidentally found at autopsy: A morphologic study.  
Virchows Arch [A] 414:53-59, 1988
14. Terada T, Kawai K, Nakanuma Y:  
Small hepatocellular carcinoma presenting as intrahepatic pedunculated polyp and obstructive jaundice.  
J Clin Gastroenterol 11:578-583, 1989
15. Terada T, Hosono M, Kono N, Watanabe K, Nakanuma Y:  
Epithelioid hemangioendothelioma of the liver in primary biliary cirrhosis: A case report.  
Acta Pathol Jpn 39:607-611, 1989
16. Terada T, Kurumaya H, Nakanuma Y:  
Intrahepatic cholesterol stones associated with peripheral intrahepatic cholangiocellular carcinoma: An autopsy case.  
Am J Gastroenterol 84:1431-1433, 1989
17. Terada T, Nakanuma Y, Hosono H, Kono N, Watanabe K:  
Hepatic epithelioid hemangioendothelioma in primary biliary cirrhosis.  
Gastroenterology 97:810-811, 1989

18. Terada T, Nakanuma Y:  
Iron-negative foci in siderotic macroregenerative nodules in human cirrhotic livers: A marker of incipient preneoplasia or neoplasia.  
Arch Pathol Lab Med 113:916-920, 1989
19. Terada T, Ishida F, Nakanuma Y:  
Vascular plexus around intrahepatic bile ducts in normal livers and portal hypertension.  
J Hepatol 8:139-149, 1989
20. Terada T, Hosono M, Nakanuma Y:  
Development of cavernous vasculatures in livers with hepatocellular carcinoma: An autopsy study.  
Liver 9:172-178, 1989
21. Ishida F, Terada T, Nakanuma Y:  
Histologic and scanning electron microscopic observations of intrahepatic peribiliary glands in normal human livers.  
Lab Invest 60:260-265, 1989
22. Terada T, Hosono M, Nakanuma Y:  
Microvasculature in the small portal tracts in idiopathic portal hypertension: A morphological comparison with other hepatic diseases.  
Virchows Arch [A] 415:61-68, 1989
23. Terada T, Nakanuma Y, Hosono M, Saito K, Sasaki M, Nonomura A:  
Fatty macroregenerative nodules in non-steatotic liver cirrhosis: A morphologic study.  
Virchows Arch [A] 415:131-136, 1989
24. Terada T, Nakanuma Y:  
Innervation of intrahepatic bile ducts and peribiliary glands in normal livers, extrahepatic biliary obstruction and hepatolithiasis: An immunohistochemical study.  
J Hepatol 9:141-148, 1989
25. Terada T, Nakanuma Y, Hosono M:  
Mallory body clustering in adenomatous hyperplasia in human cirrhotic livers: Report of four cases.  
Hum Pathol 20:886-890, 1989
26. Terada T, Nakanuma Y:  
Survey of iron-accumulative macroregenerative nodules in cirrhotic livers.  
Hepatology 10:851-854, 1989

27. Matsui O, Kadoya M, Kameyama T, Yoshikawa J, Arai K, Gabata T, Takashima T, Nakanuma Y, Terada T, Ida M:  
Adenomatous hyperplastic nodules in the cirrhotic liver:  
Differentiation from hepatocellular carcinoma with MR imaging.  
Radiology 173:123-126, 1989
  
28. Terada T, Kurumaya H, Nakanuma Y, Hayakawa Y, Matsuda H:  
Macroregenerative nodules of the liver in primary biliary cirrhosis:  
Report of two autopsy cases.  
Am J Gastroenterol 84:418-421, 1989
  
29. Terada T, Hosono M, Nakanuma Y, Ohta T, Makino H:  
Extrahepatic portal venous obstruction of different pathogenesis in  
pancreatic diseases: Report of 4 autopsy cases with chronic  
pancreatitis and pancreatic carcinoma.  
Gastroenterol Jpn 24:414-420, 1989
  
30. Terada T, Kurumaya H, Nakanuma Y:  
Intrahepatic cholesterol stones associated with peripheral intrahepatic  
cholangiocellular carcinoma: An autopsy case.  
Am J Gastroenterol 84:1431-1433, 1989
  
31. Terada T, Nakanuma Y, Kono N, Ueda K, Kadoya M, Matsui  
Ciliated hepatic foregut cysts: A mucus histochemical,  
immunohistochemical and ultrastructural study in three cases in  
comparison with normal bronchi and intrahepatic bile ducts.  
Am J Surg Pathol 14:356-363, 1990
  
32. Terada T, Nakanuma Y, Kakita A:  
Pathologic observations of intrahepatic peribiliary glands in 1,000  
consecutive autopsy livers: Heterotopic pancreas in the liver.  
Gastroenterology 98:1333-1337, 1990
  
33. Terada T, Kadoya M, Nakanuma Y, Matsui O:  
Iron-accumulating adenomatous hyperplastic nodule with malignant  
foci in the cirrhotic liver: Histopathologic, quantitative iron and  
magnetic resonance imaging in vitro studies.  
Cancer 65:1994-2000, 1990
  
34. Kurumaya H, Terada T, Nakanuma Y:  
"Metaplastic lesions" in intrahepatic bile ducts in hepatolithiasis: A  
histochemical and immunohistochemical study.  
J Gastroenterol Hepatol 5:530-536, 1990
  
35. Sasaki M, Terada T, Nakanuma Y, Kono N, Kasahara Y, Watanabe  
K:  
Anorectal mucinous carcinoma associated with latent perianal  
Paget disease.  
Am J Gastroenterol 85:199-202, 1990

36. Kawabe K, Nakanuma Y, Terada T, Nakamura Y:  
Adenosquamous carcinoma of the stomach presenting as "giant gastric folds".  
Gastroenterol Jpn 25:739-745, 1990
37. Terasaki S, Nakanuma Y, Terada T, Unoura M:  
Metastasis of hepatocellular carcinoma to the gallbladder presenting massive intraluminal growth: Report of an autopsy case.  
J Clin Gastroenterol 12:714-715, 1990
38. Hirota Y, Shimizu M, Sugihara N, Suematsu T, Shibayama S, Itoh H, Tekeda R, Terada T:  
An autopsy case of hypertrophic cardiomyopathy showing dilated cardiomyopathy-like features by serial ventriculography.  
Jpn J Med 29:448-453, 1990
39. Nakanuma Y, Terada T, Doishita K, Miwa A:  
Hepatocellular carcinoma in primary biliary cirrhosis: An autopsy study.  
Hepatology 11:1010-1016, 1990
40. Terada T, Nakanuma Y:  
Pathological observations of intrahepatic peribiliary glands in 1,000 consecutive autopsy livers: II. A possible source of cholangiocarcinoma.  
Hepatology 12:92-97, 1990
41. Nakanuma Y, Terada T, Terasaki S, Ueda K, Nonomura A, Kawawara E, Matsui O:  
"Atypical adenomatous hyperplasia" in liver cirrhosis: Low grade hepatocellular carcinoma or borderline lesion?  
Histopathology 17:27-35, 1990
42. Sasaki M, Nakakuma Y, Terada T, Hosono M, Saito K, Hayashi M, Kurumaya H:  
Amyloid deposition in intrahepatic large bile ducts and peribiliary glands in systemic amyloidosis.  
Hepatology 12:743-746, 1990
43. Terada T, Nakanuma Y:  
Pathological observations of intrahepatic peribiliary glands in 1,000 consecutive autopsy livers: III. Survey of necroinflammation and cystic dilatation.  
Hepatology 12:1229-1233, 1990

44. Terada T, Nakanuma Y, Saito K, Kono N:  
Biliary sludge and microcalculi in intrahepatic bile ducts:  
Morphologic and X-ray microanalytical observations in 18 among  
1,197 consecutively autopsied livers.  
Acta Pathol Jpn 40:894-901, 1990
45. Terada T, Nakanuma Y, Matsushita E:  
Mapping of cavernous vasculatures in a patient with hepatocellular  
carcinoma.  
J Clin Gastroenterol 12:109-113, 1990
46. Terada T, Nakanuma Y, Yonejima M, Yokoyama H, Koike N:  
Portal, mesenteric and splenic venous thrombosis after endoscopic  
injection sclerotherapy.  
J Clin Gastroenterol 12:238-239, 1990
47. Terada T, Nakanuma Y:  
Expression of ABH blood group antigens, Ulex europaeus agglutinin  
I, and type IV collagen in the sinusoids of hepatocellular  
carcinoma.  
Arch Pathol Lab Med 115:50-55, 1991
48. Terada T, Nakanuma Y, Hosono M, Obata H:  
Expression of HLA-DR antigen on hepatic vascular endothelial cells  
in idiopathic portal hypertension.  
Clin Exp Immunol 84:303-307, 1991
49. Ueda K, Nakanuma Y, Terada T, Naito T, Matsui O:  
Well-differentiated hepatocellular carcinoma showing intrahepatic  
neural invasion: Autopsied case.  
Jpn J Clin Oncol 21:143-146, 1991
50. Wada T, Motoo Y, Ohmizo R, Terada T, Nakanuma Y:  
Association of mixed connective tissue disease, Sjogren's syndrome  
and autoimmune hepatitis: Report of a case.  
Jpn J Med 30:278-280, 1991
51. Hirano Y, Nagakawa T, Ohta T, Takamura H, Nakano T, Mori K,  
Kadoya N, Kayahara M, Ueno K, Miyazaki I, Nonomura A,  
Terada T, Matsui O:  
Adenosquamous carcinoma of the pancreas: Case report and  
clinical review.  
Dig Surg 8:244-247, 1991
52. Terada T, Nakanuma Y:  
Expression of ABH blood group antigens, receptor of Ulex  
europaeus agglutinin, and factor VIII-related antigen in adenomatous  
hyperplasia in human cirrhotic livers.  
Hum Pathol 22:486-493, 1991

53. Terasaki S, Terada T, Nakanuma Y, Nonomura A, Unoura M, Kobayashi K:  
Argyrophilic nucleolar organizer regions and alpha-fetoproteins in adenomatous hyperplasia in the human cirrhotic livers.  
Am J Clin Pathol 95:850-857, 1991
54. Terada T, Nakanuma Y, Obata H:  
HLA-DR expression on the microvasculature in portal tracts in idiopathic portal hypertension: Immunohistochemical characteristics and relation to portal phlebosclerosis.  
Arch Pathol Lab Med 115:993-997, 1991
55. Kono N, Terada T, Nakanuma Y:  
Interaction between epithelial cells and mesenchymal cells in intrahepatic peribiliary glands in normal and hepatolithiatic livers.  
Gastroenterol Jpn 26:194-200, 1991
56. Terada T, Nakanuma Y, Ueda K:  
The role of portal venous stenosis in the formation and progression of hepatolithiasis: Morphological evaluation of autopsy and surgical series.  
J Clin Gastroenterol 13:709-714, 1991
57. Terada T, Nakanuma Y, Ohta T, Nagakawa T, Motoo Y, Harada A, Hamato N, Inaba T:  
Mucin-histochemical and immunohistochemical profiles of epithelial cells of several types of hepatic cysts.  
Virchows Arch [A] 419:499-504, 1991
58. Ohta T, Nagakawa T, Ueda N, Nakamura T, Kasahara M, Ueno K, Miyazaki I, Terada T, Nakanuma Y:  
Adenomatous hyperplasia of the bile duct epithelium of the canine liver, caused by bacterial infection.  
Scand J Gastroenterol 26:1107-1114, 1991
59. Terada T, Nakanuma Y:  
Immunohistochemical demonstration of pancreatic  $\alpha$ -amylase and trypsin in intrahepatic bile ducts and peribiliary glands.  
Hepatology 14:1129-1135, 1991
60. Terada T, Mitsui T, Nakanuma Y, Miura S, Toya D:  
Intrahepatic biliary papillomatosis arising in nonobstructive intrahepatic biliary dilatations confined to the hepatic left lobe.  
Am J Gastroenterol 86:1523-1526, 1991

61. Ueda K, Saito K, Terada T, Nakanuma Y:  
Selective necrosis of encapsulated malignant lesion within atypical adenomatous hyperplasia of the liver following transarterial embolization: A report of two autopsy cases.  
J Clin Gastroenterol 13:709-714, 1991
62. Terada T, Nakanuma Y:  
Pathologic observations of intrahepatic peribiliary glands in 1,000 consecutive autopsy livers: IV. Hyperplasia of intramural and extramural glands.  
Hum Pathol 23:483-490, 1992
63. Terada T, Nakanuma Y, Ohta T, Nagakawa T:  
Histological features and interphase nucleolar organizer regions in hyperplastic, dysplastic and neoplastic epithelium in hepatolithiasis.  
Histopathology 21:233-240, 1992
64. Ueda K, Terada T, Nakanuma Y, Matsui O:  
Vascular supply in adenomatous hyperplasia of the liver and hepatocellular carcinoma: A morphometric study.  
Hum Pathol 23:619-626, 1992
65. Ohta T, Nagakawa T, Akiyama T, Fukushima W, Ueno K, Miyazaki I, Suzuki M, Matsui O, Terada T, Nakanuma Y, Kanno M, Uogishi M, Sodani H:  
The "duct-ectatic" variant of mucinouscystic neoplasm of the pancreas: Clinical and radiologic studies of seven cases.  
Am J Gastroenterol 87:300-304, 1992
66. Ohta T, Nagakawa T, Fukushima W, Mori K, Kayahara M, Akiyama T, Kanno M, Ueno K, Miyazaki I, Terada T, Nakanuma Y:  
Immunohistochemical study of carcinoembryonic antigen in mucinous cystic neoplasm of the pancreas.  
Eur Surg Res 24:37-44, 1992
67. Ohta T, Nagakawa T, Tsukioka Y, Mori K, Kayahara M, Kanno M, Ueno K, Miyazaki I, Terada T, Nakanuma Y:  
Argyrophilic nucleolar organizer region counts in exocrine pancreatic tumors.  
Int J Pancreatol 12:201-209, 1992
68. Terada T, Nakanuma Y:  
Cell proliferative activity in adenomatous hyperplasia of the liver and small hepatocellular carcinoma: An immunohistochemical study demonstrating proliferating cell nuclear antigen.  
Cancer 70:591-598, 1992

69. Ohta T, Nagakawa T, Fukushima W, Ueno K, Kayahara M, Kanno M, Miyazaki I, Terada T, Nakanuma Y, Nonomura A:  
Carbohydrate antigen 19-9-producing lymphoepithelial cyst of the pancreas: A casereport with an immunohistochemical study.  
Dig Surg 9:221-225,1992
70. Ohta T, Nagakawa T, Tsukioka Y, Mori K, Kayahara M, Kanno M, Ueno K, Miyazaki I, Terada T, Nakanuma Y:  
Early bile duct carcinoma associated with chronic pancreatitis: A case report including a study of silver-stained nucleolar organizer region counting.  
Dig Surg 9:172-176, 1992
71. Terada T, Nakanuma Y, Nonomura A:  
Hamartomatous lesion of the liver in an adult patient with biliary dilatations: A variant of inflammatory pseudotumor of the liver ?  
Gastroenterol Jpn 27:258-263, 1992
72. Terada T, Kida T, Nakanuma Y, Noda T:  
Extensive portal tumor thrombi with portal hypertension in an autopsy case of intrahepatic cholangiocarcinoma.  
Am J Gastroenterol 87:1513-1518, 1992
73. Terada T, Nakanuma Y:  
Cell kinetic analyses and expression of carcinoembryonic antigen, carbohydrate antigen 19-9 and DU-PAN-2 in hyperplastic, preneoplastic and neoplastic lesions of intrahepatic bile ducts in livers with hepatoliths.  
Virchows Arch [A] 420:327-335, 1992
74. Kida T, Nakanuma Y, Terada T:  
Cystic dilatation of peribiliary glands in livers with adult polycystic disease and livers with solitary nonparasitic cysts: An autopsy study.  
Hepatology 16:334-340, 1992
75. Mori K, Nagakawa T, Ohta T, Kayahara M, Kanno M, Ueno K, Miyazaki I, Terada T, Nakanuma Y:  
Proliferative activity of carcinoma of the papilla of Vater: An immunohistochemical study demonstrating proliferating cell nuclear antigen (PCNA).  
Int J Oncol 1:121-124, 1992
76. Terada T, Kono N, Nakanuma Y:  
Immunohistochemical and immunoelectron microscopical analyses of  $\alpha$ -amylase isozymes in the intrahepatic biliary epithelium and hepatocytes.  
J Histochem Cytochem 40:1627-1635, 1992

77. Ohta T, Nagakawa T, Tsukioka Y, Sanada H, Miyazaki I, Terada T:  
Proliferative activity of bile duct epithelium after bacterial infection in dogs.  
Scand J Gastroenterol 27:845-851, 1992
78. Terada T, Minato H, Nakanuma Y, Shinozuka K, Kobayashi S, Matsui O:  
Ultrasound visualization of hepatic peribiliary cysts: A comparison with morphology.  
Am J Gastroenterol 87:1499-1502, 1992
79. Terada T, Sasaki M, Nakanuma Y, Takeda Y, Masunaga T:  
Hilar cholangiocarcinoma (Klatskin tumor) arising from intrahepatic peribiliary glands.  
J Clin Gastroenterol 15:79-81, 1992
80. Sasaki M, Nakanuma Y, Terada T:  
Association of intrahepatic portal venous obstruction with intrahepatic calculi formation.  
Am J Gastroenterol 15:933, 1992
81. Ohta T, Nagakawa T, Kawamura Y, Mori K, Kayahara M, Kanno M, Ueno K, Miyazaki I, Terada T, Nakanuma Y, Nonomura A:  
Adenomatous hyperplasia of the common bile duct.  
Dig Surg 9:275-278, 1992
82. Terada T, Kitani S, Ueda K, Naknuma Y, Kitagawa K, Masuda S:  
Adenomatous hyperplasia resembling focal nodular hyperplasia in patients with chronic liver diseases.  
Virchows Archiv [A] 422: 247-252, 1993
- 83.. Nakanuma Y, Terada T, Ueda K, Terasaki S, Nonomura A, Matsui O:  
Adenomatous hyperplasia of the liver as a precancerous lesion.  
Liver 13:1-9, 1993
84. Terada T, Nakanuma Y:  
An immunohistochemical survey of amylase isoenzymes in cholangiocarcinoma and hepatocellular carcinoma.  
Arch Pathol Lab Med 117:160-162, 1993

85. Ohta T, Nagakawa T, Takeda T, Fonseca L, Kanno M, Mori K, Kayahara M, Ueno K, Miyazaki I, Terada T:  
Histological evaluation of the intrahepatic biliary tree in intrahepatic cholesterol stones, including immunohistochemical staining against apolipoprotein A-1.  
Hepatology 17:531-537, 1993
86. Ohta T, Nagakawa T, Yoshimitsu Y, Sanada H, Fonseca L, Miyazaki I, Terada T:  
The role of 16,16-dimethyl prostagrandin E2 on the intrahepatic biliary branches in dogs.  
Hepatology 17:1062-1065, 1993
87. Ohta T, Nagakawa T, Tsukioka Y, Mori K, Takada T, Kayahara M, Ueno K, Fonseca L, Miyazaki I, Terada T:  
Expression of argyrophilic nucleolar organizer regions in ductal adenocarcinoma of the pancreas and its relationship to prognosis  
Int J Pancreatol 13:193-200, 1993
88. Terada T, Nakanuma Y:  
Development of human intrahepatic peribiliary glands: Histological, keratin immunohistochemical and mucus histochemical analyses.  
Lab Invest 68:261-269, 1993
89. Terada T, Nakanuma Y:  
Expression of  $\alpha$ -amylase isoenzymes and trypsin by proliferating epithelium of large intrahepatic bile ducts and intrahepatic peribiliary glands in hepatolithiasis.  
Histopathology 22:467-473, 1993
90. Terada T, Ueda K, Nakanuma Y:  
Histopathological and morphometric analysis of atypical adenomatous hyperplasia of human cirrhotic livers.  
Virchows Arch [A] 422:381-388, 1993
91. Terada T, Nakanuma Y:  
Development of human peribiliary capillary plexus: A lectin-histochemical and immunohistochemical study.  
Hepatology 18:529-536, 1993
92. Terada T, Nakanuma Y:  
Pancreatic lipase is a useful phenotypic marker of large and septal bile ducts, peribiliary glands, and their malignant counterparts.  
Mod Pathol 6:419-426, 1993
93. Terada T, Kida T, Nakanuma Y:  
Extrahepatic peribiliary glands express  $\alpha$ -amylase isozymes, trypsin and pancreatic lipase: An immunohistochemical analysis.  
Hepatology 18:803-808, 1993

94. Terada T, Terasaki S, Nakanuma Y:  
A clinicopathologic study of adenomatous hyperplasia of the liver  
in 209 consecutive cirrhotic livers examined by autopsy.  
Cancer 72:1551-1556, 1993
95. Motoo Y, Sawabu N, Yamaguchi Y, Terada T, Nakanuma Y:  
Sinusoidal capillarization of human hepatocellular carcinoma:  
Possible promotion by fibroblast growth factor.  
Oncology 50:270-274, 1993
96. Kobayashi S, Nakanuma Y, Terada T, Matsui O:  
Postmortem survey of bile duct necrosis and biloma in  
hepatocellular carcinoma after transcatheter arterial  
chemoembolization therapy: Relevance to microvascular damages of  
peribiliary capillary plexus.  
Am J Gastroenterol 88:1410-1415, 1993
97. Ueda K, Matsui O, Nakanuma Y, Terada T, Kadoya M, Kitagawa K,  
Kobayashi S, Kawamori Y, Gabata T, Takashima T:  
Deposition of copper and copper-binding protein (CBP) in  
adenomatous hyperplasia of the liver.  
Int Hepatol Commun 1:326-330, 1993
98. Ohta H, Yamaguchi Y, Yamakawa O, Watanabe H, Satomura Y,  
Motoo Y, Okai T, Terada T, Sawabu N:  
Biliary papillomatosis with the point mutation of K-ras gene  
arising in congenital choledochal cyst.  
Gastroenterology 105:1209-1212, 1993
99. Harada K, Terada T, Nakanuma Y, Fukunaga Y, Kurumaya H:  
A case of small combined hepatocellular and cholangiocellular  
carcinoma arising in a nodule of atypical adenomatous hyperplasia  
the liver.  
Am J Gastroenterol 88:1968-1969, 1993
100. Ohta T, Nagakawa T, Itoh H, Fonseca L, Miyazaki I, Terada T:  
A case of serous cystadenoma of the pancreas with focal malignant  
change.  
Int J Pancreatol 14:283-289, 1993
101. Terada T, Kida T, Nakanuma Y, Kurumaya H, Doishita K,  
Takayanagi N:  
Intrahepatic cholangiocarcinomas associated with nonbiliary  
cirrhosis: A clinicopathological study.  
J Clin Gastroenterol 18:335-342, 1994

102. Terada T, Shimizu K, Izumi R, Nakanuma Y:  
p53 expression in formalin-fixed, paraffin-embedded specimens of intrahepatic cholangiocarcinoma: Retrieval of p53 antigenicity by microwave oven heating of tissue sections.  
Mod Pathol 7:249-252, 1994
- 103.. Ohta T, Terada T, Nagakawa T, Ito H, Tajima H, Miyazaki I:  
Presence of pancreatic  $\alpha$ -amylase, trypsinogen, and lipase immunoreactivity in normal human pancreatic ducts.  
Pancreas 9:382-386, 1994
104. Ohta T, Nagakawa T, Fonseca L, Yoshimitsu Y, Miyazaki I, Terada T:  
Stromal distribution of CA19-9 as a predictor of lymph node metastases in gall bladder cancer without stromal invasion.  
Oncology 51:238-243, 1994
- 105.. Ohta T, Terada T, Nagakawa T, Tajima H, Itoh H, Fonseca L, Miyazaki I:  
Pancreatic trypsinogen and cathepsin B in human pancreatic carcinomas and associated metastatic lesions.  
Br J Cancer 69:152-156, 1994
106. Kaji K, Terada T, Nakanuma Y:  
Frequent occurrence of hepatocellular carcinoma in cirrhotic livers after surgical resection of atypical adenomatous hyperplasia (borderline hepatocellular nodule): A follow-up study.  
Am J Gastroenterol 89:903-908, 1994
107. Terada T, Nakanuma Y:  
Expression of tenascin, type IV collagen and laminin during human intrahepatic bile duct development and in intrahepatic cholangiocarcinoma.  
Histopathology 25:143-150, 1994
108. Terada T, Morita T, Hosono M, Nakanuma Y:  
Pancreatic enzymes in epithelium of intrahepatic large bile ducts and in hepatic bile in patients with extrahepatic bile duct obstruction.  
J Clin Pathol 47:924-927, 1994
- 109 Terada T, Nakanuma Y:  
Profiles of expression of carbohydrate chain structures during human intrahepatic bile duct development and maturation: A lectin-histochemical and immunohistochemical study.  
Hepatology 20:388-397, 1994

- 110.. Terada T, Ohta T, Nakanuma Y:  
Expression of transforming growth factor- $\alpha$  and its receptor during human liver development and maturation.  
Virchows Archiv 424:669-675, 1994
111. Ohta T, Terada T, Nagakawa T, Tajima H, Kanno M, Sodani H, Miyazaki I:  
Differential expression of pancreatic trypsinogen and cathepsin B in human scirrhus-type and intestinal-type gastric carcinomas.  
Oncol Rep 1:203-208, 1994
112. Ohta T, Terada T, Nagakawa T, Kayahara M, Nishimura G, Tsukioka Y, Taniguchi K, Miyazaki I, Numata M, Yamamoto M, Iseki S, Kanno M:  
Expression of pancreatic trypsinogen in human extrapancreatic gastrointestinal carcinomas.  
Oncol Rep 1:759-763, 1994
113. Terada T, Notsumata K, Nakanuma Y:  
Biliary carcinosarcoma arising in nonparasitic simple cyst of the liver.  
Virchows Arch [A] 424:331-335, 1994
114. Terada T, Hirata K, Hisada Y, Hoshii Y, Nakanuma Y:  
Obstructive jaundice caused by the deposition of amyloid-like substances in the extrahepatic bile duct and intrahepatic large bile ducts in a patient with multiple myeloma.  
Histopathology 24:485-487, 1994
115. Katayanagi K, Terada T, Nakanuma Y, Ueno T:  
A case of pseudolymphoma of the liver.  
Pathol Int 44:704-711, 1994
- 116.. Terada T, Yasoshima M, Yoshimitsu Y, Nakanuma Y:  
Carbohydrate antigen 19-9 producing giant epithelial cyst of the spleen in a young woman.  
J Clin Gastroenterol 18:57-61, 1994
117. Terada T, Nakanuma Y:  
Detection of apoptosis and expression of apoptosis-related proteins during human intrahepatic bile duct development.  
Am J Pathol 146:67-74, 1995
118. Terada T, Nakanuma Y:  
Expression of pancreatic enzymes ( $\alpha$ -amylase, trypsinogen and lipase) during human liver development and maturation.  
Gastroenterology 108:1236-1245, 1995

119. Terada T, Hosono M, Nakanuma Y:  
Distribution of cytokeratin 19-positive biliary cells in cirrhotic nodules, hepatic borderline nodules (atypical adenomatous hyperplasia) and small hepatocellular carcinoma.  
Mod Pathol 8:371-379, 1995
120. Terada T, Ohta T, Minato H, Nakanuma Y:  
Expression of pancreatic trypsinogen/trypsin and cathepsin B in human cholangiocarcinomas and hepatocellular carcinomas.  
Hum Pathol 26:746-752, 1995
121. Terada T, Nakanuma Y:  
Intrahepatic cholangiographic appearance simulating primary sclerosing cholangitis in hepatobiliary diseases: A postmortem cholangiographic and histopathological study in 154 autopsy livers.  
Hepatology 22:75-81, 1995
122. Sanzen T, Yoshida Y, Sasaki M, Terada T, Nakanuma Y:  
Expression of glycoconjugates during intrahepatic bile ducts development in the rat: An immunohistochemical and lectin-histochemical study.  
Hepatology 22:944-951, 1995
123. Sasaki M, Nakanuma Y, Terada T, Kim YS:  
Biliary epithelial expression of MUC1, MUC2, MUC3, and MUC 5/6 apomucins during human intrahepatic bile duct development and maturation: An immunohistochemical study.  
Am J Pathol 147:574-579, 1995
124. Terada T, Nakanuma Y:  
Arterial elements and perisinusoidal cells in borderline hepatocellular nodules and small hepatocellular carcinomas: An immunohistochemical study using anti- $\alpha$ -smooth muscle actin antibody.  
Histopathology 27:333-339, 1995
125. Terada T, Nakanuma Y:  
Multiple occurrence of borderline hepatocellular nodules in human cirrhotic livers: suggestion of multicentric origin of hepatocellular carcinoma.  
Virchows Archiv 427:379-383, 1995
126. Terayama N, Matsui O, Hoshida K, Kadoya M, Yoshikawa J, Gabata T, Takashima T, Terada T, Nakanuma Y:  
Peribiliary cysts in liver cirrhosis: US, CT and MR findings.  
J Comput Assist Tomogr 19:419-423, 1995

127. International working party (Wanless IR, Callea F, Craig JR, Crawford JM, Desmet VJ, Farber E, Ferrel LD, Finegold MJ, Geller SA, Gerber MA, Ishak KG, Kojiro M, Kondo F, Kondo Y, Lefkoeitch JH, Ludwig J, MacSween RNM, Nakano M, Nakanuma Y, Okuda K, Portmann BC, Scheuer PJ, Terada T, Theise ND, Thung SN):  
Terminology of nodular hepatocellular lesions.  
Hepatology 22:983-993, 1995
128. Terada T, Okada Y, Nakanuma Y:  
Expression of matrix proteinases during human intrahepatic bile duct development: A possible role in biliary cell migration.  
Am J Pathol 147:1207-1213, 1995
129. Terayama N, Terada T, Hosono M, Nakanuma Y:  
Partial nodular transformation of the liver with portal vein thrombosis: A report of two autopsy cases.  
J Clin Gastroenterol 20:71-76, 1995
130. Fukutani Y, Takeuchi N, Kobayashi K, Miyasu K, Yamaguchi N, Terada T, Nakanuma Y, Isaki K:  
Striatonigral degeneration combined with olivopontocerebellar atrophy with subcortical dementia and hallucinatory state.  
Dementia 6:235-240, 1995
131. Terada T, Okada Y, Nakanuma Y:  
Expression of immunoreactive matrix metalloproteinases and tissue inhibitors of matrix metalloproteinases in human normal livers and primary liver tumors.  
Hepatology 23: 1341-1344, 1996
132. Terayama N, Terada T, Nakanuma Y:  
A morphometric and immunohistochemical study on angiogenesis of human metastatic carcinomas of the liver.  
Hepatology 24: 816-819, 1996
133. Terada T, Ohta T, Sasaki M, Nakanuma Y, Kim YS:  
Expression of MUC apomucins in normal pancreas and pancreatic tumours.  
J Pathol 180: 160-165, 1996
134. Terada T, Makimoto K, Terayama N, Suzuki Y, Nakanuma Y:  
Alpha-smooth muscle actin-positive stromal cells in cholangiocarcinomas, hepatocellular carcinomas and metastatic liver carcinomas.  
J Hepatol 24: 706-712, 1996

135. Harada K, Terada T, Nakanuma Y:  
Detection of transforming growth factor- $\alpha$  protein and messenger RNA in hepatobiliary disease by immunohistochemical and in situ hybridization techniques.  
Hum Pathol 27: 787-792, 1996
136. Terada T, Nakanuma Y:  
Expression of mucin carbohydrate antigens (T, Tn and sialyl-Tn) and MUC-1 gene product in intraductal papillary-mucinous neoplasm of the pancreas.  
Am J Clin Pathol 105: 613-620, 1996
137. Terayama N, Terada T, Nakanuma Y:  
An immunohistochemical study of tumor vessels in metastatic liver cancers and the surrounding liver tissue.  
Histopathology 29: 37-43, 1996
138. Nakanuma Y, Hosono M, Sasaki M, Terada T, Katayanagi K, Nonomura A, Harada A, Obata H:  
Histopathology of the liver in non-cirrhotic portal hypertension of unknown aetiology.  
Histopathology 28: 195-204, 1996
139. Minato H, Nakanuma Y, Terada T:  
Expression of blood group-related antigens in cholangiocarcinoma in relation to nonneoplastic bile ducts.  
Histopathology 28: 411-419, 1996
140. Terada T, Ohta T, Nakanuma Y:  
Expression of oncogene products anti-oncogene products and oncofetal antigens in intraductal papillary-mucinous neoplasm of the pancreas.  
Histopathology 29: 355-361, 1996
141. Hosono M, Terada T, Nakanuma Y:  
Partial nodular transformation of liver developing around intrahepatic portal venous emboli of hepatocellular carcinoma.  
Histopathology 29: 580-582, 1996
142. Terada T, Nakanuma Y:  
Utility of pancreatic digestive enzyme immunohistochemistry in the differential diagnosis of hepatocellular carcinoma, cholangiocarcinoma and metastatic adenocarcinoma of the liver.  
Pathol Int 46: 183-188, 1996

143. Terada T, Nakanuma Y:  
Expression of apoptosis, proliferating cell nuclear antigen, and  
apoptosis-related antigens (bcl-2, c-myc, Fas, Lewis<sup>Y</sup> and p53) in  
human cholangiocarcinomas and hepatocellular carcinomas.  
Pathol Int 46: 764-770, 1996
144. Terayama N, Terada T, Nakanuma Y:  
Histologic growth patterns of metastatic carcinomas of the liver.  
Jpn J Clin Oncol 26: 24-29, 1996
145. Terada T, Kitamura Y, Ohta T, Nakanuma Y:  
Endocrine cells in hepatobiliary cystadenomas and  
cystadenocarcinomas.  
Virchows Archiv 430: 37-40, 1997
146. Ohta T, Numata M, Tsukioka Y, Futagami F, Kayahara M,  
Kitagawa H, Nagakawa T, Yamamoto M, Wakayama T, Kitamura  
Y, Terada T, Nakanuma Y:  
Neurotrophin-3 expression in human pancreatic cancers.  
J Pathol 181: 405-412, 1997
147. Kitamura Y, Michikawa M, Tanigawa T, Katsumoto T, Morita T,  
Nannba E, Ohama E, Terada T:  
Establishment and characteristics of a practical and useful  
astrocyte cell line transformed by a temperature-sensitive  
mutant of simian virus 40.  
Brain Res 759: 295-300, 1997
148. Terada T, Ohta T, Kitamura Y, Ashida K, Matsunaga Y,  
Kato M:  
Endocrine cells in intraductal papillary-mucinous neoplasms of  
the pancreas.  
Virchows Archiv 431: 31-36, 1997
149. Kitamura Y, Tanigawa T, Katsumoto T, Tomita K, Wang HR,  
Hirai K, Ichihara K, Terada T:  
Cell growth and differentiation of a novel mouse Ito  
(fat-storing) cell line transformed by a temperature-sensitive  
mutant of simian virus 40.  
Hepatology 26: 323-329, 1997
150. Terada T, Kitamura Y, Ashida K, Matsunaga Y, Ohta T:  
Expression of pancreatic digestive enzymes in normal and  
pathologic epithelial cells of the human gastrointestinal system.  
Virchows Arch 431:195-203, 1997

151. Ohta T, Futagami F, Tajima H, Kayahara M, Nagakawa T, Miwa K, Yamamoto M, Iseki S, Nakanuma Y, Terada T:  
Inhibitory effect of a serine protease inhibitor, FOY-305 on the invasion and metastasis of human pancreatic cancers.  
Int J Oncol 11:813-817, 1997
152. Ohta T, Yamamoto M, Numata M, Iseki S, Kitagawa H, Kayahara M, Nagakawa T, Miwa K, Nagakawa A, Morise T, Ohkuma S, Terada T:  
Differential expression of vascular-type H<sup>+</sup>-ATPase between normal human pancreatic islet B-cells and insulinoma cells.  
Int J Oncol 11:597-601, 1997
153. Terada T, Nakanuma Y, Sirica AE:  
Immunohistochemical demonstration of MET overexpression in human intrahepatic cholangiocarcinoma and in hepatolithiasis.  
Hum Pathol 29:175-180, 1998
154. Terada T, Ohta T, Kitamura Y, Ashida K, Matsunaga Y:  
Cell proliferative activity in intraductal papillary-mucinous neoplasms and invasive ductal adenocarcinoma of the pancreas.  
Arch Pathol Lab Med 122: 42-46, 1998
155. Terada T, Ashida K, Kitamura Y, Matsunaga Y, Takashima K, Kato M, Ohta T:  
Expression of E-cadherin, alpha-catenin and beta-catenin during human intrahepatic bile duct development.  
J Hepatol 28:263-269, 1998
156. Ashida K, Terada T, Kitamura Y, Kaibara N:  
Expression of E-cadherin, alpha-catenin, beta-catenin and CD44 (standard and variant isoforms) in human cholangiocarcinoma: An immunohistochemical study.  
Hepatology 27:974-982, 1998
157. Akiyoshi H, Terada T:  
Mast cell, myofibroblast and nerve terminal complexes in carbon tetra-chloride induced cirrhotic rat livers.  
J Hepatol 29:112-119, 1998
158. Ohta T, Arakawa H, Futagami F, Fushida S, Kitagawa H, Kayahara M, Nagakawa T, Miwa K, Kurashima K, Numata M, Kitamura Y, Terada T, Ohkuma S:  
Bafilomycin A 1 induces apoptosis in the human pancreatic cancer cell line CAPAN-1.  
J Pathol 185:324-330, 1998

- 159.. Ohta T, Tajima H, Fushida S, Kitagawa H, Kayahara M, Nagakawa T, Miwa K, Yamamoto M, Numata M, Nakanuma Y, Kitamura Y, Terada T:  
Cationic trypsinogen produced by human pancreatic ductal cancer has the characteristics of spontaneous activation and gelatinolytic activity in the presence of proton.  
Int J Mol Med 1:168-692, 1998
160. Terada T, Kato M, Horie S, Endo K, Kitamura Y:  
Expression of pancreatic alpha-amylase protein and messenger RNA on hilar primitive bile ducts and hepatocytes during human fetal liver organogenesis: An immunohistochemical and in situ hybridization study.  
Liver 18:313-319, 1998
- 161.. Terada T, Ashida K, Endo K, Horie S, Maeta Y, Matsunaga Y, Takashima K, Ohta T, Kitamura Y:  
c-erbB-2 protein is expressed in hepatolithiasis and cholangiocarcinoma.  
Histopathology 33:325-331, 1998
162. Akiyoshi H, Gonda, Terada T:  
A comparative histochemical and immunohistochemical study of aminergic, cholinergic and peptidergic innervation in rat, hamster, guinea pig, dog and human livers.  
Liver 18:352-359, 1998
163. Shimada A, Shiota G, Miyata H, Kamahora T, Kawasaki H, Shiraki K, Hino S, Terada T:  
Aberrant expression of double-stranded RNA-dependent protein kinase in hepatocytes of chronic hepatitis and differentiated hepatocellular carcinoma.  
Cancer Res 58:4434-4438, 1998
164. Kitamura Y, Motoi N, Terada T:  
An autopsy case of ancient sarcoidosis associated with severe fibrosis in the liver and heart.  
Pathol Int 48:536-541, 1998
165. Akiyoshi H, Terada T:  
Centrilobular and perisinusoidal fibrosis in experimental congestive liver in rat.  
J Hepatol 30:433-439, 1999
166. Zhang H, Yamamoto T, Nanba E, Kitamura Y, Terada T, Akaboshi S, Yuasa I, Ohtani K, Nakamoto S, Takeshita K, Ohno K:  
Novel TSC2 mutation in a patient with pulmonary tuberous sclerosis: Lack of loss of heterozygosity in a lung cyst.  
Am J Med Genet 82:368-370, 1999

167. Kato S, Ishihara K, Shinozawa T, Yamaguchi H, Asano Y, Saito M, Kato M, Terada T, Awaya A, Hirano A, Dickson DW, Yen SH, Ohama E:  
Monoclonal antibody to human Midkine reveals increased Midkine expression in human brain tumors.  
J Neuropathol Exp Neurol 58:430-441, 1999
168. Matsunaga Y, Kawasaki H, Terada T:  
Stromal mast cells and nerve fibers in various chronic liver diseases: relevance to hepatic fibrosis.  
Am J Gastroenterol 94: 1923-1932, 1999
169. Ohta T, Tajima H, Yachie A, Yokoyama K, Elnemr A, Fushida S, Kitagawa H, Kayahara M, Nishimura G, Miwa K, Yamamoto M, Terada T, Ohkuma S:  
Activated lansoprazol inhibits cancer cell adhesion to extracellular matrix components.  
Int J Oncol 15:33-39, 1999
170. Matsunaga Y, Terada T:  
Peribiliary capillary plexus around interlobular bile ducts in various chronic liver diseases: An immunohistochemical and morphometric study.  
Pathol Int 49:869-873, 1999
171. Ohta T, Alnemr T, Yasui T, Kitagawa H, Kayahara M, Fushida S, Nishimura G, Nagakawa T, Miwa K, Yamamoto M, Terada T, Nakanuma Y:  
Expression of nerve growth factor in hepatolithiasis.  
Liver 19:489-494, 1999
172. Terada T, Maeta H, Endo K, Horie S, Matsunaga Y, Ohta T:  
Marked histiocytosis in portal tracts in a patient with reactive hemophagocytic syndrome: an autopsy case.  
Pathol Int 49:672-675, 1999
173. Terada T, Matsunaga Y, Maeta H, Endo K, Horie S, Ohta T:  
Mixed ductal-endocrine carcinoma of the pancreas presenting as gastrinomawith Zollinger-Ellison syndrome: an autopsy case with a 24 year survival period.  
Virchows Arch 435:606-611, 1999
174. Kitamura Y, Moriwaki S, Motoi M, Terada T:  
A case of clear cell carcinoma of the ovary with uncommon histologic components.  
Journal of the Okayama Surgical Pathology Association 36(1-2): 1-5, 1999

175. Endo K, Terada T:  
Protein expression of CD44 (standard and variant isoforms) in hepatocellular carcinoma: relationships with tumour grade, clinicopathologic parameters, p53 expression and patients survival.  
J Hepatol 32: 78-84, 2000
176. Matsunaga Y, Terada T:  
Mast cell subpopulations in chronic inflammatory hepatobiliary diseases.  
Liver 20: 152-156, 2000
177. Endo K, Ohta T, Terada T:  
Immunoreactive E-cadherin, alpha-catenin, beta-catenin and gamma-catenin proteins in hepatocellular carcinoma: relationships with tumor grade, clinicopathologic parameters and patients' survival.  
Hum Pathol 31:558-565, 2000
178. Endo K, Ueda T, Ohta T, Terada T:  
Protein expression of MDM2 and its clinicopathological relationships in human hepatocellular carcinoma.  
Liver 20:209-215, 2000
179. Kato M, Shinozawa T, Kato S, Endo K, Terada T:  
Increased midkine expression in intrahepatic cholangiocarcinoma: Immunohistochemical and in situ hybridization analyses.  
Liver 20:216-221, 2000
180. Kato M, Shinozawa T, Kato S, Awaya A, Terada T:  
Increased midkine expression in hepatocellular carcinoma: immunohistochemical and in situ hybridization analyses.  
Arch Pathol Lab Med 124:848-852, 2000
181. Horie S, Endo K, Kawasaki H, Terada T:  
Overexpression of MDM2 protein in intrahepatic cholangiocarcinoma: Relationships with p53 overexpression, Ki67 labelling, and clinicopathological features.  
Virchows Archiv 437:25-30, 2000
182. Terada T, Maeta H, Endo K, Ohta T:  
Protein expression of double stranded RNA-activated protein kinase (PKR) in thyroid carcinomas: Correlations with histological types, pathological parameters, and Ki67 labelling.  
Hum Pathol 31:817-821, 2000

183. Terada T, Ukita Y, Ueyama J, Ohta T:  
Protein expression of double-stranded RNA-activated protein kinase (PKR) in intrahepatic bile ducts in normal adult livers, fetal livers, primary biliary cirrhosis, hepatolithiasis and intrahepatic cholangiocarcinoma.  
Liver 20:450-457, 2000
184. Kato M, Maeta H, Kato S, Shinozawa S, Terada T:  
Immunohistochemical and in situ hybridization analyses of midkine expression of thyroid papillary carcinoma.  
Mod Pathol 13:1060-1065, 2000
185. Terada T, Matsunaga Y:  
Increased mast cells in hepatocellular carcinoma and intrahepatic cholangiocarcinoma.  
J Hepatol 33:961-966, 2000
186. Tsutsumi A, Shiota G, Yamazaki H, Kunisada T, Terada T, Kawasaki H:  
Accelerated growth of hepatocytes in association with up-regulation of cyclin E in transgenic mice expressing the dominant negative form of retinoic acid receptor.  
Biochem Biophys Res Commun 278: 229-235, 2000
187. Horie S, Kitamura Y, Kawasaki H, Terada T:  
Inhibitory effects of antisense oligonucleotides on the expression of procollagen type III gene in mouse hepatic stellate cells transformed by simian virus 40.  
Pathol Int 50:937-944, 2000
188. Elnemr A, Ohta T, Iwata K, Ninomiya I, Fushida S, Nishimura GI, Kitagawa H, Kayahara M, Yamamoto M, Terada T, Miwa K:  
PPAR gamma ligand (thiazolidinedione) induces growth arrest and differentiation markers of human pancreatic cancer cells.  
Int J Oncol 17:1157-1164, 2000
189. Oyama K, Ohta T, Nishimura GI, Elnemr A, Yasui T, Fujimura T, Fushida S, Kitagawa H, Kayahara M, Terada T, Miwa K:  
Trypsinogen expression in colorectal cancers.  
Int J MoL Med 6:543-548, 2000
190. Kato M, Shinozawa T, Kato S, Terada T:  
Divergent expression of midkine in the human fetal liver and kidney: an immunohistochemical analysis of developmental changes in hilar primitive bile ducts and hepatocytes.  
Liver 20:475-481, 2000

191. Terada T, Endo K, Maeta H, Horie S, Ohta T:  
Epithelioid leiomyosarcoma with osteoclast-like giant cells in the rectum.  
Arch Pathol Lab Med 124:438-440, 2000
192. Kitamura Y, Ohta O, Terada T:  
Primary T-cell non-Hodgkin's malignant lymphoma of the appendix.  
Pathol Int 50:313-317, 2000
193. Maeta H, Ohgi S, Terada T:  
Protein Expression of matrix metalloproteinases 2 and 9 and tissue inhibitors of metalloproteinases 1 and 2 in papillary thyroid carcinomas.  
Virchows Archiv 438:121-128, 2001
194. Horie S, Maeta H, Endo K, Terada T:  
Overexpression of p53 and MDM2 proteins in human papillary carcinoma of the thyroid: correlations with clinicopathologic features.  
Pathol Int 51:11-15, 2001
195. Endo K, Ashida K, Miyake N, Terada T:  
E-cadherin gene mutations in human intrahepatic cholangiocarcinoma.  
J Pathol 193:310-317, 2001
196. Terada T, Matsunaga Y:  
S-100-positive nerve fibers in hepatocellular carcinoma and intrahepatic cholangiocarcinoma: an immunohistochemical study.  
Pathol Int 51:89-93, 2001
197. Elnemr A, Ohta T, Kayahara M, Kitagawa H, Yoshimoto K, Tani T, Shimizu K, Nishimura G, Terada T, Miwa K:  
Anomalous pancreatocobiliary ductal junctions without bile duct dilation in gall bladder cancer.  
Hepatogastroenterology 48: 382-396, 2001
198. Miyake N, Maeta H, Horie S, Kitamura Y, Nanba E, Kobayashi K, Terada T:  
Absence of mutations of the beta-catenin and adenomatous polyposis coli genes in papillary and follicular thyroid carcinomas.  
Pathol Int 51:680-685, 2001
199. Miyake N, Endo K, Nanba E, Terada T:  
Frequent mutations in the beta-catenin gene in cholangiocarcinoma.  
Yonago Acta Medica 44:107-114, 2001

200. Horie S, Hasegawa K, Terada T:  
Cellular leiomyoma of the nasal cavity: report of a case and review of literature.  
Yonago Acta Medica 44: 85-89, 2001
- 201.. Ukita Y, Kato M, Terada T:  
Gene amplification and mRNA and protein overexpression of C-erbB-2 (HER-2/neu) in human intrahepatic cholangiocarcinoma as detected by fluorescence in situ hybridization, in situ hybridization, and immunohistochemistry.  
J Hepatol 36:780-785, 2002
202. Ueta Y, Ikeguchi M, Hirooka Y, Kaibara S, Terada T:  
Beta-catenin and cyclin D1 expression in human hepatocellular carcinoma.  
Oncol Rep 9:1197-1203, 2002
203. Terada T, Kawaguchi M, Furukawa K, Sekido Y, Osamura Y.  
Minute mixed ductal-endocrine carcinoma of the pancreas with predominant intraductal growth.  
Pathol Int 52:740-746, 2002
- 204.. Kato M, Shinozawa T, Kato S, Terada T.  
Immunohistochemical localization of truncated midkine in developing human bile ducts.  
Histol Histopathol 18:129-134, 2003
- 205.. Terada T, Matsushita H, Tashiro J, Sairenji T, Erigichi M, Osada I:  
Cholesterol hepatolithiasis with peribiliary cysts.  
Pathol Int 53:716-720, 2003
206. Terada T, Terai T, Yamawaki T:  
Marked diffuse dilations of the biliary tree associated with intrahepatic calculi, biliary sludge and a mucinous cyst of the pancreatic head in a 99-year-old woman.  
Pathol Int 53:563-568, 2003
207. Terada T, Inatsuchi H, Yasuda M, Osamura Y:  
A kidney carcinoma with features of clear cell renal carcinoma and transitional cell carcinoma: a combined renal cell and transitional cell carcinoma?  
Virchows Archiv 443:583-585, 2003
208. Terada T, Yamagami J, Fujimoto A, Tanaka K, Sugiura M:  
Pigmented squamous cell carcinoma of the cheek skin probably arising from solar keratosis.  
Pathol Int 53:468-472, 2003

209. Terada T, Takeuchi T, Hirano R, Nagata S, Kubota H, Honda S:  
Spontaneous rupture of peripancreatic lymph node with  
hepatocellular carcinoma metastasis: report of an autopsy case with  
massive peritoneal bleeding.  
Hepatol Res 26:73-76, 2003
210. Terada T, Takeuchi T, Taniguchi M:  
Hepatobiliary cystadenocarcinoma with cystadenoma elements of the  
gall bladder in an old man.  
Pathol Int 53:790-795, 2003
211. Terada T, Minami S, Onda H, Inatsuchi H, Sekido Y, Shimamura K,  
Osamura Y:  
Primary sclerosing lipogranuloma with broad necrosis of the scrotum.  
Pathol Int 52:121-125, 2003
212. Kato M, Shinozawa T, Kato S, Terada T:  
Aberrant expression of fetal glycoprotein 68 in hepatocellular  
carcinoma: a comparative study on the expression of  
alpha-fetoprotein and carcinoembryonic antigen.  
Histol Histopathol 19:701-706, 2004
213. Terada T, Taniguchi M:  
Intraductal oncocytic papillary neoplasm of the liver.  
Pathol Int 54:116-123, 2004
214. Terada T, Ikeuchi S, Inomoto C, Shimamura K:  
Mucoepidermoid carcinoma of the palate composed exclusively of  
clear cells (clear cell variant).  
Virchows Archiv 445:541-543, 2004
215. Terada T, Sato Y, Furukawa K, Sugiura M:  
Primary cutaneous mucinous carcinoma initially diagnosed as  
metastatic adenocarcinoma.  
Tohoku J Exp Med 203:345-348, 2004
216. Terada T, Inatsuchi H:  
Small juxtadrenal cellular schwannoma.  
Virchows Archiv 444:95-97, 2004
217. Terada T, Kawaguchi M:  
Primary clear cell adenocarcinoma of the peritoneum.  
Tohoku J Exp Med 206:271-275, 2005
218. Terada T:  
Primary cardiac lymphoma.  
Tokai J Exp Clin Med 32:14-17, 2007

219. Terada T.  
Primary multiple extragastrointestinal stromal tumors of the omentum with different mutations of c-kit gene.  
World J Gastroenterol 14: 7256-7259, 2008
220. Kanai R, Shibuya M, Hata T, Hori M, Hirabayashi K, Terada T., Fujii K:  
A case of 'lymphomatosis cerebri' diagnosed in an early phase and treated by whole brain Radiation: case report and literature review.  
J Neuro-oncol 86:83-88, 2008
221. Sakurai N, Tateoka K, Taguchi J, Terada T.  
Primary precursor B-cell lymphoblastic lymphoma of the ovary: case report and review of the literature.  
Int J Gynecol Pathol 27:412-417, 2008
222. Terada T.  
Hyperplastic intraparotid lymph nodes with incipient Warthin's tumor presenting as a parotid tumor.  
Pathol Res Pract 204: 863-866, 2008
223. Terada T.  
Ductal adenoma of the breast: Immunohistochemistry of two cases.  
Pathol Int 58: 801-805, 2008
224. Terada T.  
Gall bladder adenocarcinoma arising in Rokitansky-Schoff sinuses.  
Pathol Int 58: 806-809, 2008
225. Terada T.  
Gastrointestinal stromal tumor of the uterus: A case report with genetic analyses of c-kit and PDGFRA genes.  
Int J Gynecol Pathol 28: 29-34, 2009
226. Terada T.  
Intraductal tubular carcinoma, intestinal type, of the pancreas  
Pathol Int 59: 53-58, 2009
227. Terada T.  
Primary extragastrointestinal stromal tumors of the transverse mesocolon without c-kit mutations but with PDGFRA mutations  
Medical Oncology 26: 233-237, 2009

228. Terada T:  
Pulmonary alveolar microlithiasis with cor pulmonale: a case report demonstrating a decrease of pulmonary vascular beds.  
Respiratory Medicine 103: 1768-1771, 2009
229. Terada T:  
Non-invasive adenocarcinoma of the vermiform appendix:  
Incidence and report of four cases among 512 appendectomies.  
Gastroenterology Research 2: 238-241, 2009
230. Terada T:  
Carcinoid tumors of digestive organs: a clinicopathologic study of 13 cases.  
Gastroenterology Research 2: 35-37, 2009
231. Terada T:  
Benign tumors of the esophagus: a histopathologic study of 49 cases among 931 consecutive esophageal biopsies.  
Gastroenterology Research 2: 100-103, 2009
232. Terada T.  
Esophageal cancers: a clinicopathologic and immunohistochemical study of 223 cases.  
Gastroenterology Research 2: 148-151, 2009
233. Terada T:  
Primary pure squamous cell carcinoma of the duodenum: report of three cases.  
Endoscopy 41:E329-E330, 2009
234. Kanai R, Kubota H, Terada T, Hata T, Tawaraya E, Fujii H.  
Spontaneous epiduralhematoma due to skull metastasis of hepatocellular carcinoma  
J Clin Neurosci 16: 137-140, 2009
235. Terada T.  
Primary small cell carcinoma of the mediastinum: A case report with immunohistochemical and molecular genetic analyses of *KIT* and *PDGFRA* genes  
Medical Oncology 26: 247-250, 2009
236. Terada T.  
Large endocervical polyp with cartilaginous and osseous metaplasia: a hitherto unreported entity.  
Int J Gynecol Pathol; 28: 98-100, 2009

237. Terada T.  
Idiopathic fibrosing hypertrophic gastritis: a new entity that simulates linitis plastica carcinoma.  
Endoscopy 42 (S 02) E90 (electric version), 2009
238. Terada T.  
Autopsy case of primary small cell carcinoma of the urinary bladder: *KIT* and *PDGFRA* expression and mutations  
Pathol Int 2009; 59: 247-250, 2009
239. Terada T.  
Schistosomal appendicitis, Incidence in Japan and a case report.  
World J Gastroenterol 15: 1648-1649, 2009
240. Terada T.  
Adenosquamous carcinoma of the stomach: report of two cases.  
Gastroentology Research 2009; 2: 54-56, 2009
241. Terada T.  
Amelanotic malignant melanoma of the esophagus: report of two cases with immunohistochemical and molecular genetic study of *KIT* and *PDGFRA*.  
World J Gastroenterol 15: 2679-2683, 2009
242. Terada T.  
Adenosquamous carcinoma in a congenital choledochal cyst associated with pancreatico-biliary maljunction.  
Pathol Int 59: 482-485, 2009
243. Terada T.  
Esophageal carcinoma with triplicate differentiation into squamous cell carcinoma, small cell carcinoma, and adenocarcinoma: a case report  
Gastroenterology Research 2 (2): 118-121, 2009
244. Terada T.  
An intravaginal carcinoma tissue in a patient with ovarian tumor.  
Arch Gynecol Obstet 280: 1079-1080, 2009
245. Shoji T, Sakurai N, Misumi K, Matsuda I, Terada T.  
Mucinous cystadenocarcinoma of the colon during pregnancy.  
Case Reports in Gastroenterology 3: 43-48, 2009
246. Terada T.  
Adenosquamous carcinoma of the ovary arising from endometriosis: report of two cases.  
Cases J 2009; 19: 2: 6661

247. Terada T.  
Brain metastasis from thyroid adenomatous nodule or an encapsulated thyroid follicular tumor without capsular and vascular invasion  
Cases J 17: 2: 7180, 2009
248. Terada T.  
Occult very small lung carcinoma with a solitary brain metastasis that is clinically diagnosed as cavernous hemangioma; a case report.  
Cases J 19: 2: 7475, 2009
249. Terada T.  
Endometrial adenocarcinoma in spontaneous abortion.  
Pathology 41; 694-695, 2009
250. Terada T.  
Mediastinal seminoma with multiple KIT gene mutations.  
Pathology 41: 695-697, 2009
251. Terada T.  
Multiple myeloma presenting as an intracranial plasmacytoma: a case report.  
Cases J 2: 9110, 2009
252. Terada T.  
Urinary bladder carcinoma with triplicate differentiations into giant cell sarcomatoid carcinoma, squamous cell carcinoma, and papillary urothelial transitional cell carcinoma: a case report.  
Cases J 2: 9111, 2009
253. Terada T.  
Non-functioning well differentiated endocrine carcinoma of the pancreas  
Gastroenterology Research 2: 364-366, 2009
254. Terada T.  
Endometriosis of the vermiform appendix presenting as a tumor.  
Gastroenterology Research 2: 353-355, 2009
255. Terada T.  
Primary small cell carcinoma of the ureter: a case report with immunohistochemical and molecular genetic analysis of KIT and PDGFRA genes.  
Pathology 42: 101-102, 2010
256. Terada T.  
Carcinosarcoma of the pouch of Douglas.  
Arch Gynecol Obstet 281: 345-348, 2010

257. Terada T:  
Gastrointestinal stromal tumor of the digestive organs: a histopathologic study of 31 cases in a single Japanese institute.  
Int J Clin Exp Pathol 3:162-168, 2010
258. Terada T:  
Small cell carcinoma of the brain without extracranial involvement by serial CT, MRI and PET  
Int J Clin Exp Pathol 3:323-327, 2010
259. Terada T.  
Simultaneous squamous cell carcinoma in situ and adenocarcinoma in situ of the uterine cervix in a 36-year-old Japanese woman.  
Arch Gynecol Oncol 281: 527-530, 2010
260. Terada T.  
Immature teratoma of ovary composed largely of choroids plexus.  
Int J Gynecol Cancer (in press)
261. Terada T.  
Bronchial atypical carcinoid tumor without invasion but with marked intraluminal growth like branchial tree cast.  
Respiratory Medicine (in press)
262. Terada T.  
Primary small cell carcinoma of the pleura: A case report with immunohistochemical and molecular genetic analyses of *KIT* and *PDGFRA* genes.  
Med Oncol (in press)
263. Terada T.  
Primary pulmonary combined scar carcinoma composed of adenocarcinoma, squamous cell carcinoma, and small cell carcinoma: an autopsy case and literature review.  
Respiratory Medicine (in press)
264. Terada T.  
Pleomorphic carcinoma of the lung: a case report with immunohistochemical studies.  
Respiratory Medicine (in press)

265. Terada T.  
Spindle cell carcinoma the common bile duct: a case report with immunohistochemical analysis.  
Case Reports in Gastroenterology (in press)
266. Terada T.  
Adenosquamous carcinoma and pure squamous cell carcinoma of the pancreas: report of two cases.  
Case Reports in Gastroenterology (in press)
267. Terada T, Shigeno K, Hori M, Hata T.  
Isolated spinal neurosarcooidosis: an autopsy case.  
Spinal cord (in press)
268. Terada T.  
Heterotopic pancreatic tissue of the stomach: report of three cases and consideration of its histogenesis.  
Case reports in Gastroenterology (in press)
269. Terada T.  
Primary pure squamous cell carcinoma of the duodenum: a case report  
Gastroenterology Research 3: 39-40, 2010
270. Terada T.  
Sarcomatoid carcinoma of the urinary bladder: a case report with immunohistochemical and molecular genetic analysis.  
Med Oncol 27:547-553, 2010
271. Terada T.  
Synchronous squamous cell carcinoma of the kidney, squamous cell carcinoma of the ureter, and sarcomatoid carcinoma of the urinary bladder: a case report.  
Pathol Res Pract 206: 379-383
272. Tearda T, Sugiura M.  
Metastatic hepatocellular carcinoma of the skin diagnosed with hepatocyte paraffin 1 (HepPar1) and  $\alpha$ -fetoprotein immunostainings.  
Int J Surg Pathol (in press)
273. Terada T  
Sarcomatoid carcinoma of the lung presenting as a cutaneous metastasis.  
J Cutan Pathol 37.:482-485, 2010
274. Terada T, Fujimoto A, Shirakashi Y, Kamo M, Sugiura M.:  
Malignant glomus tumor of the palm: a case report.  
J Cutan Pathol (in press)

275. Terada T.  
Primary pulmonary small leiomyosarcoma arising from bronchial smooth muscles.  
Respiratory Medicine (in press)
276. Terada T.  
Solitary fibrous tumor of the shoulder showing diverse distinct histological patterns.  
Int J Dermatol (in press)
277. Terada T:  
KIT-positive primary small cell carcinoma of the endometrium:  
A case report with immunohistochemical and molecular genetic analyses of KIT and PDGFRA genes.  
Arch Gynecol Obstet (in press)
278. Terada T.  
Spindle cell carcinoma of the lung: frequency, clinical features, and immunohistochemical studies of three cases  
Respiratory Medicine (in press)
279. Terada T:  
Giant fibrolipoma of the spermatic cord.  
Pathol Int 60:330-332, 2010
280. Terada T:  
Mature teratoma of the rectum.  
Gastrointestinal Endoscopy 71:1068-9, 2010
281. Terada T:  
Non-invasive intraductal papillary neoplasms of the common bile duct: a clinicopathologic study of six cases.  
Hum Pathol (in press)
282. Terada T:  
Large cell neuroendocrine carcinoma with sarcomatous changes of the endometrium: a case report with immunohistochemical studies and molecular genetic study of KIT and PDGFRA.  
Pathol Res Pract 206: 420-425, 2010
283. Terada T, Moriki T:  
Monolobar ductal plate malformation disease of the liver.  
Pathol Int 60:407-12, 2010
284. Terada T:  
Diffuse large B-cell lymphoma of non-germinal center B-cell type of the heart in an immunocompetent woman: an autopsy case.  
Medical Oncology (in press)

285. Terada T:  
Clear cell adenocarcinoma of the uterine cervix in a young pregnant woman: a case report with immunohistochemical study.  
Medical Oncology (in press)
286. Terada T:  
CD34-positive myxoid sarcoma of the retroperitoneum: a dilemma in differential diagnosis of multiple biopsy specimens.  
Histol Histopathol 25: 957-962, 2010
287. Terada T:  
Hepatic multiple minute inflammatory pseudotumors containing many biliary elements and hepatolithiasis: a suggestion of biliary origin  
Scand J Gastroenterol 45:633-634, 2010
288. Terada T.  
Primary pulmonary follicular lymphoma  
Respiratory Medicine (in press)
288. Terada T.  
Sarcomatoid squamous cell carcinoma of the uterine cervix.  
Arch Gynecol Obstet 282;231-232, 2010
289. Terada T:  
Borderline serous papillary tumor arising in a paraovarian cyst  
European Journal of Obstetrics and Gynecology 150; 215-216, 2010
290. Terada T.  
Spindle cell hemangioma of the calf with myxoid stroma and pseudolipoblasts  
J Dermatol (in press)
291. Terada T:  
Minute myopericytoma of the neck: a case report with literature review and differential diagnosis.  
Pathol Oncol Res (in press)
292. Sakurai N, Tateoka K, Fukaya K, Terada T, Kuboshiro K:  
Supraclavicular lymph node metastasis as the initial presentation of primary fallopian tube carcinoma.  
Int J Clin Oncol 15;301-304, 2010
293. Terada T:  
Neuroendocrine carcinoma of the esophagus: a case report with immunohistochemical and molecular genetic analysis of KIT and PDGFRA.  
Medical Oncology (in press)

294. Terada T:  
Fatal poorly differentiated angiosarcoma of the scalp: a pathologic case report.  
Int J Clin Exp Pathol (in press)
295. Terada T:  
Pigmented Bowen disease arising from pigmented reticular seborrheic keratosis.  
Int J Clin Oncol (in press)
296. Terada T:  
Low incidence of *KIT* gene mutations and no *PDGFRA* gene mutations in primary cutaneous melanoma: an immunohistochemical and molecular genetic study of Japanese cases.  
Int J Clin Oncol (in press)
297. Hiraide T, Terada T.  
Primary multiple polypoid follicular lymphoma of the sigmoid Colon.  
Gastrointestinal Endoscopy (in press)
298. Terada T:  
Malignant transformation of foveolar hyperplastic polyp of the stomach: a histopathologic study.  
Medical Oncology (in press)
299. Terada T.  
Multiple verrucous carcinomas of the oral cavity: a case report  
Journal of Maxillofacial and Oral Surgery (in press)
300. Terada T, Moriki T:  
Monolobar hepatobiliary fibropolycystic disease  
Pathol Oncol Res (in press)
301. Terada T.  
Skin metastasis of pleural epithelioid malignant mesothelioma  
Applied Immunohistochemistry & Molecular Morphology (in press)
302. Terada T:  
Sarcomatoid squamous cell carcinoma of the vulva expressing smooth muscle actin and S100 protein  
Arch Gynecol Obstet (in press)
303. Terada T.  
Primary non-Hodgkin B-cell lymphoma of the tongue  
The British Journal of Oral & Maxillofacial Surgery (in press)

304. Terada T:  
Pure sarcomatoid carcinoma of maxillary sinus and  
nasal cavity simulating malignant fibrous histiocytoma.  
Am J Clin Pathol (in press)
305. Terada T:  
Composite carcinoid and small cell carcinoma of the duodenum  
Scand J Gastroenterol (in press)
306. Terada T:  
Ovarian malignant Mullerian mixed tumor (heterologous) whose  
epithelial component is composed predominantly of signet ring cell  
carcinoma  
Arch Gynecol Obstet (in press)
307. Terada T:  
Primary malignant melanoma of the maxillary sinus presenting as a  
maxillary sinus hematoma: KIT and PDGFRA  
Ear, Nose & Throat Journal (in press)

#### Review

1. Nakanuma Y, Terada T, Ueda K, Terasaki S, Nonomura A, Matsui O:  
Adenomatous hyperplasia of the liver as a precancerous lesion.  
Liver 13:1-9, 1993
2. Nakanuma Y, Katayanagi K, Terada T, Saito K:  
Intrahepatic peribiliary glands of humans: I. Anatomy, development  
and presumed functions.  
J Gastroenterol Hepatol 9:75-79, 1994
3. Nakanuma Y, Sasaki M, Terada T, Harada K:  
Intrahepatic peribiliary glands of humans: II. Pathological spectrum.  
J Gastroenterol Hepatol 9:80-86, 1994
4. Terada T, Kitamura Y, Nakanuma Y:  
Normal and abnormal development of the intrahepatic biliary  
system: A review.  
Tohoku J Exp Med 181:19-32, 1997

#### Books

1. Ohta G, Nakanuma Y, Terada T:  
Pathology of hepatolithiasis: cholangitis and cholangiocarcinoma.  
Intrahepatic Calculi, Okuda K, Nakayama F, Wong J, eds Alan R  
Liss Inc, New York, 91-113, 1984

2. Terada T, Ishida F, Nakanuma Y (1989) Vascular plexus around intrahepatic large bile ducts in normal livers and portal hypertension. International symposium on portal hypertension and digestive organs.  
J Gastroenterol Hepatol 1(suppl):276-278,
3. Nakanuma Y, Terada T, Saito K, Unoura M, Kakegoshi K, The Ministry of Health and Welfare Disorders of Portal Circulation Research Committee:  
Pathological and immunological abnormalities in idiopathic portal hypertension.  
Frontiers of Mucosal Immunology Vol. 2 Tsuchiya M, Nagura H, Hibi T, Moro I, eds, Excerpta Medica, Amsterdam, New York, Oxford, 282-284, 1991
4. Nakanuma Y, Minato H, Kida T, Terada T:  
Pathology of cholangiocellular carcinoma.  
Primary Liver Cancer in Japan. Tobe T, Mameda H, Okudaira M, Ohto M, Endo Y, Mito M, Okamoto E, Tanikawa K, Kojiro M, eds, Springer-Verlag, Tokyo, Berlin, Heidelberg, New York, London, Paris, Hong Kong, Barcelona, 39-50, 1992
5. Terada T, Nakanuma Y:  
Pathobiology of human intrahepatic peribiliary glands.  
Biliary and pancreatic ductal epithelia: Pathobiology and pathophysiology. Sirica AE, Longnecker DC, eds, Marcel Dekker, Inc, New York, Basel, Hong Kong, 291-321, 1997
6. Nakanuma Y, Hosono M, Terada T:  
Clinical and pathologic features of cholangiocarcinoma.  
Liver cancer. Ouda K, Tabor E, eds, Churchill Livingstone, New York, Edinburgh, London, Melbourne, San Francisco, Tokyo, 279-290, 1997
7. Terada T, Kitamura Y:  
Immunocytochemical investigation of paraffin-embedded tissue.  
Methods in disease: Investigating of the gastrointestinal tract. Victor R Preedy, Ronald R. Watson, eds, Greenwich Medical Media Limited, London, 301-309, 1998

Letters

1. Terada T, Nakanuma Y  
Primary sclerosing cholangitis-like cholangiographic features in autopsies cirrhotic livers are not reproduced in clinical practice.  
Hepatology 25:780-781, 1997
  
3. Terada T:  
Reply to the letter by Dr. E.N. Beckman.  
Virchows Archiv 444:446, 2004